

SAFETY DATA SHEET (SDS)

UN GLOBALLY HARMONIZED SYSTEM (GHS) FOR HAZARD COMMUNICATION

BUFFING SOLUTION					
	Warning	Warning	Warning	-	-
	HEALTH	1			
	FLAMMABILITY	1			
	PHYSICAL HAZARD	0			
PERSONAL PROTECTION	F				

SECTION 1: IDENTIFICATION

TUE 3-OCT-2017 14:51

1.1 Product Identification

GHS Product Identifier/Label	Buffing Solution
Product Codes/Names	VMI 2500

1.2 Recommended Use of the Chemical and Restrictions on Use

Recommended Use	Disk cleaning and polishing
Restrictions On Use	None identified

1.3 Supplier's Details

Company	VENMILL INDUSTRIES 30 TOWN FOREST RD OXFORD MA 01540-2833 USA
----------------	--



EMERGENCY Information Services

VENMILL: In United States, Canada, Puerto Rico, and the US Virgin Islands: 1-866-864-0210; Outside the United States: +01 or +001 508-363-0410 (call collect). Customer Support hours are Monday - Friday from 8:30 AM - 5:00 PM Eastern time (GMT-05:00).

IF A PERSON HAS COLLAPSED, HAD A SEIZURE, HAS TROUBLE BREATHING, OR CANNOT BE AWAKENED, IMMEDIATELY CALL LOCAL EMERGENCY MEDICAL SERVICES (EMS).

REFER TO SDS SECTION 4, THE USA POISON HELP LINE AT 1-800-222-1222, OR USE POISONHELP.ORG

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the Substance or Mixture

Hazard Category	Serious eye damage/eye irritation Cat 2
------------------------	---

Flammable Liq Cat 4

2.2 GHS Label Elements

Hazard Pictograms



Signal Words

HEALTH HAZARD

Warning

FLAME

Warning

EXCLAMATION MARK

Warning

[blank]

-

[blank]

-

Hazard Statements

H319: Causes serious eye irritation

H227: Combustible liquid

Precautionary Statements

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P337+313: If eye irritation persists get medical advice/attention

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P211: Do not spray on an open flame or other ignition source

P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking

2.3 Unclassified Contributing Hazards

None identified.

2.4 HMIS® Ratings

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	F

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Identity	Common Name	CAS	EC	REACH	Impurity Additives
Water		7732-18-5			
Hydrotreated Light Petroleum Distillates		64742-47-8			
Dodecamethylcyclohexasiloxane		540-97-6			
Aluminum Oxide		1344-28-1	215-691-6	01-211952924 8-35-0063	

Solvent-refined Heavy Paraffinic Petroleum Distillates		64741-88-4			
Mineral Oil		64741-89-5			
Ethylene Oxide, Polymer With Ethylenediamine and Propylene Oxide Cid 5% Per Volume		Trade Secret			

3.2 Mixtures

Chemical Identity	Common Name	CAS	EC	REACH	Mass Volume (%)
Water		7732-18-5			40-70
Hydrotreated Light Petroleum Distillates		64742-47-8			10-30
Dodecamethylcyclohexasiloxane		540-97-6			7-15
Aluminum Oxide		1344-28-1	215-691-6	01-2119529248-35-0063	3-8
Solvent-refined Heavy Paraffinic Petroleum Distillates		64741-88-4			1-5
Mineral Oil		64741-89-5			<2
Ethylene Oxide, Polymer With Ethylenediamine and Propylene Oxide Cid 5% Per Volume		Trade Secret			0.1-1.5

SECTION 4: FIRST-AID MEASURES

4.1 Description of Necessary First-Aid Measures

EMERGENCY	<p>IF A PERSON HAS COLLAPSED, HAD A SEIZURE, HAS TROUBLE BREATHING, OR CANNOT BE AWAKENED, IMMEDIATELY CALL LOCAL EMERGENCY MEDICAL SERVICES (EMS).</p> <p>REFER TO SDS SECTION 4, THE USA POISON HELP LINE AT 1-800-222-1222, OR USE POISONHELP.ORG</p>
General	<p>Movement of the exposed individual from the area to fresh air is recommended.</p> <hr/> <p>Removal and handling of clothing and shoes from the individual is recommended.</p>
Inhalation	<p>In case of inhalation exposure: If exposed or concerned, get medical advice/attention.</p>
Skin	<p>In case of skin exposure: Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Gently blot or brush away excess product. Wash with plenty of lukewarm, gently flowing water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before re-use.</p>

Eye	In case of eye exposure: If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the eyelids open. If eye irritation persists, get medical advice/attention.
------------	---

Ingestion	In case of ingestion: Immediately call local Emergency Medical Services (EMS). Do NOT induce vomiting. If vomiting occurs naturally, lie person on side, in the recovery position.
------------------	--

4.2 Most Important Symptoms/Effects, Acute and Delayed

Inhalation may cause cough, sneezing, nasal discharge, headache, hoarseness, and nose/throat pain. May cause target organ effects. Skin irritation may redness, swelling, itching, and dryness. Eye contact may cause irritation, redness, pain, and tearing. Ingestion may cause abdominal pain, stomach upset, nausea, vomiting, and diarrhea. Central Nervous System (CNS) effects: headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

4.3 Indication of Immediate Medical Attention and Treatment Needed

If Central Nervous System (CNS) effects (headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness) occur, call local Emergency Medical Services (EMS).

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

UL-rated 3-A:40-B:C extinguisher is suggested. Suitable media: Carbon dioxide {CO₂}; dry chemical {sodium bicarbonate NaHCO₃, potassium bicarbonate KHCO₃}; low-expansion aqueous film forming foams (AFFF) {1,3-Propanediol CH₂(CH₂OH)₂, 2-Methyl-2,4-pentanediol (CH₃)₂C(OH)CH₂CH(OH)CH₃ + Dodecanol CH₃(CH₂)₁₀CH₂OH}.

5.2 Special Hazards Arising from Chemicals

Formaldehyde CH₂O, carbon monoxide CO, and carbon dioxide CO₂

5.3 Special Protective Actions for Fire-Fighters

Firefighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective equipment (PPE) respirator.

6.2 Environmental Precautions

Avoid contamination of water supplies. Report spills as required.

6.3 Methods and Materials for Containment and Cleaning Up

Observe precautions from other sections. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spill material as possible. Clean up residue with detergent and water.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment (PPE). Wash thoroughly after handling. Consider potential exposure to processed base materials or coatings.

7.2 Conditions for Safe Storage

Store away from acids and oxidizing agents. Keep from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Substances with Exposure Limits (Air/Biological)	Cal/OSHA-PEL	ACGIH® TLV®	EU	Other
Aluminum Oxide	5-mg/m ³ TWA (respirable) 15-mg/m ³ TWA (total dust)	None	None	UK: 4-mg/m ³ TWA (respirable) 10-mg/m ³ TWA (inhalable); Germany: 1.5-mg/m ³ TWA (respirable) 4-mg/m ³ TWA (inhalable); China: 4-mg/m ³ TWA; DNEL long-term oral toxicity: 6.2-mg/kg, long-term inhalation toxicity: 15.6-mg/kg
Mineral Oil	None	None	None	None

8.2 Appropriate Engineering Controls

Air Concentration	Maintain air concentrations below occupational exposure standards.
Local Exhaust Ventilation	Use local exhaust when buffing.
Equipment Restrictions	Use in enclosed systems, where possible.
Handling Reduction	Wear gloves; use mechanical handling to reduce human contact.
Environmental Exposure Controls	No special considerations. Avoid release of material to surface waters.
Additional Information	Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product. Buffing with this product may release substances which require monitoring or control.

8.3 Individual Protection Measures and Personal Protective Equipment

Eye/Face Protection	Avoid eye contact. Wear safety glasses or face shield per ANSI/ISEA Z87.1-2015 "American National Standard for Occupational and Educational Personal Eye and Face Protection Devices".
----------------------------	--

Skin Protection	Avoid skin contact. Wear nitrile rubber protective gloves per ANSI/ISEA 105-2016 "American National Standard for Hand Protection Classification". Wear protective clothing per ISO 13688:2013 "Protective clothing -- General requirements" standard.
Respiratory Protection	Avoid breathing dusts, vapors, mists, or spray. Wear respirator per ANSI/ASSE Z88.2-2015 "Practices for Respiratory Protection" standard.
Hearing Protection	Wear hearing protection per CSA Z94.2-2014 "Hearing protection devices - Performance, selection, care, and use" standard, where operation is noisy.
Thermal Hazards	Wear protective gloves per BS EN 407:2004 "Protective gloves against thermal risks (heat and/or fire)" standard, where buffing generates sufficient heat.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES AND SAFETY CHARACTERISTICS

9.1 Physical/Chemical Properties

Physical State	Liquid
Color	Blue
Odor	Solvent
Solubility	Appreciable
pH	7.5-8.5
Density or Relative Density	0.911-1.007 (H ₂ O = 1)
Relative Vapor Density	4.5
Boiling Point	212°F
Flash Point	>230°F
Melting Point/Freezing Point	Not determined.
Other	57.2% volatility

9.2 Other Information No other information.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Not reactive.
10.2 Chemical Stability	Product is stable at room temperature.
10.3 Possibility of Hazardous Reactions	None known.
10.4 Conditions to Avoid	Avoid sparks, flames, excessive heat. Avoid oxidizing agents.
10.5 Incompatible Materials	Strong acids and oxidizing agents.
10.6 Hazardous Decomposition Products	Polymerization will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Toxicological Health Hazards**

Acute Toxicity	Health effects information is not available.
Skin Corrosion/Irritation	May cause skin irritation
Serious Eye Damage/Irritation	May cause irritation with redness and tearing.
Respiratory or Skin Sensitization	No sensitization known from human experience.
Germ Cell Mutagenicity	Health effects information is not available.
Carcinogenicity	Health effects information is not available.
Reproductive Toxicity	Health effects information is not available.
STOT-Single Exposure	Health effects information is not available.
STOT-Repeated Exposure	Health effects information is not available.
Aspiration Hazard	Mists may cause mild irritation to nose, throat, and upper respiratory tract.

11.2 Likely Routes of Exposure Health effects information is not available.

11.3 Symptoms Related to Toxicological Characteristics Health effects information is not available.

11.4 Delayed, Immediate, Chronic Effects of Short/Long Term Exposure Health effects information is not available.

11.5 Numerical Measures of Toxicity Health effects information is not available.

11.6 Interactive Effects Health effects information is not available.

11.7 Where Specific Data Are Not Available Health effects information is not available.

11.8 Mixtures Health effects information is not available.

11.9 Mixture vs. Ingredient Information Health effects information is not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity No specific data available.

12.2 Persistence and Degradability No specific data available.

12.3 Bioaccumulative Potential No specific data available.

12.4 Mobility in Soil No specific data available.

12.6 Other adverse effects No specific data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal Methods

Safety of Persons	For the safety of persons conducting disposal, recycling, or reclamation activities, refer to information in section 8 (exposure controls and personal protection) of this SDS.
Proper Disposal	Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor.
Sewage Disposal	Many sewage treatment agencies responsible for wastewater treatment discourage or forbid disposal into sanitary sewers.
Incineration Precautions	Dispose at a waste disposal installation for the incineration, chemical treatment, or landfill of toxic and dangerous waste.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Model Regulations

UN Number	Not listed; no action required.
UN Proper Shipping Name	Not regulated; no action required.
Transport Hazard Class(es)	Not listed; no action required.
Packing Group	Not listed; no action required.
Environmental Hazards	Information not available (N/A) or relevant.
Special Precautions for User	Information not available (N/A) or relevant.
Transport in Bulk per Annex II of MARPOL 73/78 & IBC Code	Not listed; no action required.

14.2 Intermodal Shipment Declarations

DOT FMCSA	Not listed; no action required.
ADR	Not listed; no action required.
IMO IMDG	Not listed; no action required.
IATA DGR	Not listed; no action required.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations

TSCA 21st	Not regulated; no action required.
AICS	Not regulated; no action required.
CEPA	Not regulated; no action required.

EINECS	Not regulated; no action required.
SARA	Not regulated; no action required.
CERCLA	Not regulated; no action required.
RCRA	Not regulated; no action required.
REACH	Not regulated; no action required.

SECTION 16: OTHER INFORMATION

16.1 Revision Date	Tue 3-Oct-2017 14:51
16.2 Revision Letter	A1
16.3 Revision Notes	A1: Conversion to UN GHS 2017 SDS format
16.4 Key/Legend Glossary of Terms Used	<p>DOT FMCSA: US Department of Transportation Federal Motor Carrier Safety Administration {49 CFR §390 et seq.} 2017</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road {UN ECE/TRANS/42 (Vol I)} 2015</p> <p>IMO IMDG: International Maritime Dangerous Goods Code {IMDG Code 2014 Edition (Amendment 37-14)} 2014</p> <p>IATA DGR: International Air Transport Association Dangerous Goods Regulations {2017 DGR Regular 58th ed. (En.)} 2017</p> <p>TSCA 21st: US Frank R. Lautenberg Chemical Safety for the 21st Century Act {15 USC §2601 et seq.} 2016</p> <p>AICS: Australian Inventory of Chemical Substances (AICS) {Industrial Chemicals (Notification and Assessment) Act C2013C00643} 1989</p> <p>CEPA: Canadian Environmental Protection Act {S.C. 1999, c. 33} 1999</p> <p>EINECS: European INventory of Existing Commercial chemical Substances {Directive 67/548/EEC as amended by Directive 79/831/EEC per Commission Decision 81/437/EEC} 1990</p> <p>SARA: US Superfund Amendments and Reauthorization Act {42 USC §9601 et seq.} 1986</p> <p>CERCLA: US Comprehensive Environmental Response, Compensation, and Liability Act - Superfund {42 USC §9601 et seq.} 1980</p> <p>RCRA: Resource Conservation and Recovery Act {40 CFR §§239-282} 2012</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals {Regulation (EC) No 1907/2006 amended by Commission Regulation (EU) 2017/999 and Commission Regulation (EU) 2017/1510} 2017</p>
16.5 SDS Compliance	<p>GHS: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS) {United Nations Economic Commission for Europe (UNECE) ST/SG/AC.10/30/Rev.7} 2017</p> <p>OSHA: US Department of Labor Occupational Safety and Health Administration {Hazard Communication Standard (HCS) 29 CFR §1910.1200(g)} 2012</p>

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals {Regulation (EC) No 1907/2006 amended by Commission Regulation (EU) 2017/999 and Commission Regulation (EU) 2017/1510} 2017

WHMIS: Canada Workplace Hazardous Materials Information System {SOR/2015-17} 2015

HMIS®: American Coatings AssociationSM (ACA) Hazardous Materials Identification System (HMIS®) {HMIS® Implementation Manual, Fourth Edition} 2017

PICTOGRAM: United Nations Economic Commission for Europe (UNECE) Pictograms {URL: <https://www.unece.org/trans/danger/publi/ghs/pictograms.html>} 2017

16.6 Employer Responsibilities

Employers must ensure that Safety Data Sheets (SDS) for all hazardous chemicals in their workplace are readily accessible to Employees. SDS access and distribution should be considered for Consumers, Employees, former Employees, and Contractors. Employers should designate person(s) responsible for obtaining and maintaining SDS. If the Employer does not have an SDS, the Employer or designated person(s) should contact the Manufacturer to obtain a current version. Under the US OSHA Access to Employee Exposure and Medical Records standard {29 CFR §1910.1020}, Employers are required to keep a record of Employee exposure to hazardous materials at work. These "Employee exposure records" shall be retained 30+ years after their employment has ended.

16.7 SDS Distribution

Safety Data Sheets (SDS) must be distributed to direct Customers (distributors) at the time of first product shipment. When a SDS is updated, it must be sent with the next product shipment or within three (3) months of learning of "new or significant information". This SDS must be transmitted, stored, recovered, printed, rendered, and copied in its entirety (sections 1-16) and in full color to lawfully depict the branding, Hazard Pictograms, HMIS® ratings, and statements with emphasis.

16.8 Disclaimer

The information contained herein is considered the best available for compliance at the revision date. No warranty is expressed or implied regarding data accuracy. Use of this product is not within the control of the supplier; it is the user's obligation to determine the suitability of the product for its intended application and to assume all risk and liability for its safe use.

16.9 EMERGENCY

IF A PERSON HAS COLLAPSED, HAD A SEIZURE, HAS TROUBLE BREATHING, OR CANNOT BE AWAKENED, IMMEDIATELY CALL LOCAL EMERGENCY MEDICAL SERVICES (EMS).

REFER TO SDS SECTION 4, THE USA POISON HELP LINE AT 1-800-222-1222, OR USE POISONHELP.ORG

END OF SDS: BUFFING SOLUTION